PBCore Structure

PBCore 2.1 is made up of 15 containers and 82 elements, and makes use of 49 XML attributes. Attributes are used to further qualify or describe the elements and their values. Not all attributes can be used to describe every element. This Handbook contains a description of each element, what contains them, what they contain, and a list of what attributes can be used to describe them.

Within a PBCore XML Document, the order and structure of the elements is determined by the XSD. Elements must be included in the correct order, or the XML document will not validate. Below is a listing of the correct order of subelements in PBCore:

- pbcoreDescriptionDocument
 - $\circ \quad pbcoreAssetType \\$
 - pbcoreAssetDate
 - pbcoreIdentifier
 - o pbcoreTitle
 - pbcoreSubject
 - pbcoreDescription
 - o pbcoreGenre
 - pbcoreRelation
 - pbcoreRelationType
 - pbcoreRelationIdentifier
 - pbcoreCoverage
 - coverage
 - coverageType
 - pbcoreAudienceLevel
 - pbcoreAudienceRating
 - pbcoreCreator
 - creator
 - creatorRole
 - pbcoreContributor
 - contributor
 - contributorRole
 - pbcorePublisher
 - publisher
 - publisherRole
 - o pbcoreRightsSummary
 - rightsSummary
 - rightsLink
 - rightsEmbedded
 - pbcoreInstantiation
 - instantiationIdentifier
 - instantiationDate
 - instantiationDimensions
 - instantiationPhysical
 - instantiationDigital

- instantiationStandard
- instantiationLocation
- instantiationMediaType
- instantiationGenerations
- instantiationFileSize
- instantiationTimeStart
- instantiationDuration
- instantiationDataRate
- instantiationColors
- instantiationTracks
- instantiationChannelConfiguration
- instantiationLanguage
- instantiationAlternativeModes
- instantiationEssenceTrack
 - essenceTrackType
 - essenceTrackIdentifier
 - essenceTrackStandard
 - essenceTrackEncoding
 - essenceTrackDataRate
 - essenceTrackFrameRate
 - essenceTrackPlaybackSpeed
 - essenceTrackSamplingRate
 - essenceTrackBitDepth
 - essenceTrackFrameSize
 - essenceTrackAspectRatio
 - essenceTrackTimeStart
 - essenceTrackDuration
 - essenceTrackLanguage
 - essenceTrackAnnotation
 - essenceTrackExtension
- instantiationRelation
 - instantiationRelationType
 - instantiationRelationIdentifier
- instantiationRights
 - rightsSummary
 - rightsLink
 - rightsEmbedded
- instantiationAnnotation
- instantiationPart
- instantiationExtension
- pbcoreAnnotation
- pbcorePart
- pbcoreExtension
 - o extensionWrap
 - extensionElement
 - extensionValue

- extensionAuthorityUsed
- o extensionEmbedded

There are three main ways of structuring a PBCore XML document. The most common way is to contain all elements within a pbcoreDescriptionDocument. This allows a user to describe the intellectual content of an asset using asset-level subelements, such as pbcoreAssetType, pbcoreTitle, and pbcoreCreator. A pbcoreDescriptionDocument is considered complete and valid if it only includes asset-level descriptive information; however, within a pbcoreDescriptionDocument, users can also use pbcoreInstantiation and its subelements to describe all instances of that asset (tapes, digital files, etc) within a single record.

Here is example of a pbcoreDescriptionDocument using only the minimum required elements for the document to be valid:

DESCRIPTION DOCUMENT

IDENTIFIER: 00001

Source: PBCore Handbook

TITLE: Hamlet

DESCRIPTION: Filmed production of Shakespeare's Hamlet

PBCore XML

Here is an example of a pbcoreDescriptionDocument with all descriptive asset-level elements filled out, as well as two associated instantiations:

DESCRIPTION DOCUMENT

ASSET TYPE: Episode

Source: PBCore

ASSET DATE: 11-17-1970

Date Type: broadcast

IDENTIFIER: 00001

Source: PBCore Handbook

TITLE: Hamlet

Title type: Episode

TITLE: ITV Sunday Night Theater

Title type: Series

TITLE: 3204

Title type: Episode Number SUBJECT: Princes--Denmark--Drama

Source: Library of Congress Subject Headings

Ref: http://id.loc.gov/authorities/subjects/sh2008109991.html

DESCRIPTION: Filmed production of Shakespeare's Hamlet

GENRE: Drama

Source: IMDB

RELATION

RELATION TYPE: Has Derivative

Source: PBCore

RELATION IDENTIFIER: 00038

Annotation: A two-disc audio set comprising the soundtrack of the production

COVERAGE

COVERAGE: Denmark COVERAGE TYPE: Spatial AUDIENCE LEVEL: General Audience

SOURCE: EBU Intended Audience Code

AUDIENCE RATING: N/A

Annotation: The program predates TV parental guidelines

CREATOR:

CREATOR: Wood, Peter, 1925-2016

Source: Library of Congress Name Authorities

Ref: http://id.loc.gov/authorities/names/n86143606.html

CREATOR ROLE: Director

Source: PBCore

CREATOR

CREATOR: Shakespeare, William, 1564-1616

Source: Library of Congress Name Authorities Ref: http://id.loc.gov/authorities/names/n78095332

CREATOR ROLE: Author Source: PBCore

CONTRIBUTOR

CONTRIBUTOR: Chamberlain, Richard, 1935

Source: Library of Congress Name Authorities Ref: http://id.loc.gov/authorities/names/n85158136

CONTRIBUTOR ROLE: Actor

Source: PBCore Portrayal: Hamlet

PUBLISHER

PUBLISHER: Hallmark Hall of Fame Productions, Inc.

RIGHTS SUMMARY

RIGHTS SUMMARY: Copyright Chamberlain-LeMaire (U.K.) Limited and ATV

Network Limited, 1970

INSTANTIATION

INSTANTIATION IDENTIFIER: 422934074

Source: OCLC Number

INSTANTIATION DATE: 11-17-1970

Date Type: created

INSTANTIATION PHYSICAL: Film

Source: PBCore

INSTANTIATION LOCATION: UCLA Film and Television Archive

INSTANTIATION MEDIA TYPE: Moving Image

Source: PBCore

INSTANTIATION GENERATIONS: Original

Source: PBCore

INSTANTIATION DURATION: 01:30:00 INSTANTIATION COLORS: Color INSTANTIATION LANGUAGE: eng

INSTANTIATION

INSTANTIATION IDENTIFIER: T:31586

Source: Paley Center for Media Catalog

INSTANTIATION DATE: 11-17-1970

Date Type: created

INSTANTIATION PHYSICAL: Open reel videotape

Source: PBCore

INSTANTIATION LOCATION: Paley Center for Media

INSTANTIATION MEDIA TYPE: Moving Image

Source: PBCore

INSTANTIATION GENERATIONS: Copy

Source: PBCore

INSTANTIATION DURATION: 01:49:43 INSTANTIATION COLORS: Black and white

INSTANTIATION LANGUAGE: eng

ANNOTATION: Program initially broadcast in the UK as part of ITV Sunday Night Theater and

in the United States as part of NBC's Hallmark Hall of Fame

PBCore XML

```
</pbcoreSubject>
  <pbcoreDescription>Filmed production of Shakespeare's
Hamlet</pbcoreDescription>
  <pbcoreGenre source="IMDB">Drama</pbcoreGenre>
  <pbcoreRelation>
    <pbcoreRelationType source="PBCore">Has Derivative</pbcoreRelationType>
    <pbcoreRelationIdentifier annotation="A two-disc audio set comprising the</pre>
soundtrack of the production">00038</pbcoreRelationIdentifier>
  <pbcoreCoverage>
    <coverage>Denmark</coverage>
    <coverageType>Spatial</coverageType>
  </pbcoreCoverage>
  <pbcoreAudienceLevel source="EBU Intended Audience Code">General
Audience</pbcoreAudienceLevel>
  <pbcoreAudienceRating annotation="The program predates TV parental</pre>
guidelines">N/A</pbcoreAudienceRating>
  <pbcoreCreator>
   <creator source="Library of Congress Name Authorities"</pre>
ref="http://id.loc.gov/authorities/names/n86143606.html">Wood, Peter, 1925-
2016</creator>
    <creatorRole source="PBCore">Director</creatorRole>
  </pbcoreCreator>
  <pbcoreCreator>
    <creator source="Library of Congress Name Authorities"</pre>
ref="http://id.loc.gov/authorities/names/n78095332">Shakespeare, William,
1564-1616</creator>
    <creatorRole source="PBCore">Author</creatorRole>
  </pbcoreCreator>
  <pbcoreContributor>
    <contributor source="Library of Congress Name Authorities"</pre>
ref="http://id.loc.gov/authorities/names/n85158136">Chamberlain, Richard,
1935</contributor>
    <contributorRole portrayal="Hamlet"</pre>
source="PBCore">Actor</contributorRole>
  </pbcoreContributor>
  <pbcorePublisher>
    <publisher>Hallmark Hall of Fame Productions, Inc.</publisher>
  </pd></pbcorePublisher>
  <pbcoreRightsSummary>
    <rightsSummary>Copyright Chamberlain-LeMaire (U.K.) Limited and ATV
Network Limited, 1970</rightsSummary>
  </pbcoreRightsSummary>
  <pbcoreInstantiation>
    <instantiationIdentifier source="OCLC</pre>
Number">422934074</instantiationIdentifier>
    <instantiationDate dateType="created">11-17-1970</instantiationDate>
    <instantiationPhysical source="PBCore">Film</instantiationPhysical>
    <instantiationLocation>UCLA Film and Television
Archive</instantiationLocation>
    <instantiationMediaType source="PBCore">Moving
Image</instantiationMediaType>
    <instantiationGenerations</pre>
source="PBCore">Original</instantiationGenerations>
    <instantiationDuration>01:30:00</instantiationDuration>
    <instantiationColors source="">Color</instantiationColors>
    <instantiationLanguage>eng</instantiationLanguage>
```

```
</pbcoreInstantiation>
  <pbcoreInstantiation>
    <instantiationIdentifier source="Paley Center for Media</pre>
Catalog">T:31586</instantiationIdentifier>
    <instantiationDate dateType="created">11/17/1970</instantiationDate>
    <instantiationPhysical source="PBCore">Open reel
videotape</instantiationPhysical>
    <instantiationLocation>Paley Center for Media</instantiationLocation>
    <instantiationMediaType source="PBCore">Moving
Image</instantiationMediaType>
    <instantiationGenerations source="PBCore">Copy</instantiationGenerations>
    <instantiationDuration>01:49:43</instantiationDuration>
    <instantiationColors source="">Black and white</instantiationColors>
    <instantiationLanguage>eng</instantiationLanguage>
  </pbcoreInstantiation>
  <pbcoreAnnotation>Program initially broadcast in the UK as part of ITV
Sunday Night Theater and in the United States as part of NBC's Hallmark Hall
of Fame </pbcoreAnnotation>
</pbcoreDescriptionDocument>
```

These two documents represent two extremes, but each institution can determine the level of description and PBCore usage that works for their individual use case.

Individual pbcoreDescriptionDocuments can also be collected using the root element pbcoreCollection. When using pbcoreCollection as the root element of a pbcoreDocument, the hierarchy remains the same, but one or many pbcoreDescriptionDocuments are contained inside the pbcoreCollection element for serialization. Here is an example of a pbcoreCollection document containing three pbcoreDescriptionDocuments:

COLLECTION DOCUMENT

DESCRIPTION DOCUMENT

IDENTIFIER: 19993 Source: TGIF

TITLE: Sabrina the Teenage Witch

Title type: Series

DESCRIPTION: Fragment of a recorded episode of a television series about a teen witch and her wacky aunts

DESCRIPTION DOCUMENT

IDENTIFIER: 19994

Source: TGIF

TITLE: Boy Meets World

Title type: Series

DESCRIPTION: Fragment of a recorded episode of a television sitcom about a boy's

everyday life

DESCRIPTION DOCUMENT

IDENTIFIER: 19996 Source: TGIF TITLE: Sister, Sister Title type: Series

DESCRIPTION: Fragment of a recorded episode from a television sitcom about twins

separated at birth

PBCore XML

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<pbcoreCollection xmlns="http://www.pbcore.org/PBCore/PBCoreNamespace"</pre>
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.pbcore.org/PBCore/PBCoreNamespace
https://raw.githubusercontent.com/WGBH/PBCore 2.1/master/pbcore-2.1.xsd">
<pbcoreDescriptionDocument>
    <pbcoreIdentifier source="TGIF">19993</pbcoreIdentifier>
    <pbcoreTitle titleType="Series">Sabrina the Teenage Witch</pbcoreTitle>
    <pbcoreDescription>Fragment of a recorded episode of a television series
about a teen witch and her wacky aunts
  </pbcoreDescriptionDocument>
  <pbcoreDescriptionDocument>
    <pbcoreIdentifier source="TGIF">19994</pbcoreIdentifier>
    <pbcoreTitle titleType="Series">Boy Meets World</pbcoreTitle>
    <pbcoreDescription>Fragment of a recorded episode of a television sitcom
about a boy's everyday life</pbcoreDescription>
  </pbcoreDescriptionDocument>
  <pbcoreDescriptionDocument>
    <pbcoreIdentifier source="TGIF">19996</pbcoreIdentifier>
    <pbcoreTitle titleType="Series">Sister, Sister</pbcoreTitle>
    <pbcoreDescription>Fragment of a recorded episode from a television
sitcom about twins separated at birth </pbcoreDescription>
  </pbcoreDescriptionDocument>
</pbcoreCollection>
```

The third way of structuring a PBCore document is to use pbcoreInstantiationDocument as the root element. If a pbcoreInstantiationDocument is used as the root element, only the Instantiation elements may appear inside the document. PBCoreInstantiationDocuments can be used to track physical information about archival collections for which little to no content information is available. They can also be used as a means of recording technical metadata about digital files in a collection.

A pbcoreInstantiationDocument is considered complete and valid if it includes an identifier and a location. InstantiationDocuments can also include complex multi-layered information through the use of the instantiationEssenceTrack container element, which describe the individual streams that comprise an instantiation, such as audio, video, timecode, etc. InstantiationEssenceTracks can also be used to describe instantiations within descriptionDocuments, but cannot form standalone PBCore documents.

Here is an example of a pbcoreInstantiationDocument using only the minimum required elements for the document to be valid:

INSTANTIATION DOCUMENT

INSTANTIATION IDENTIFIER: 00001

Source: PBCore Handbook

INSTANTIATION LOCATION: Library of Congress

PBCore XML

Here is an example of a pbcoreInstantiationDocument fully describing a physical instance, with all applicable elements filled out.

INSTANTIATION DOCUMENT

INSTANTIATION IDENTIFIER: 00001

Source: PBCore Handbook INSTANTIATION DATE: 12-27-1964

Date Type: created

INSTANTIATION DIMENSIONS: 4800

Units of Measure: ft

INSTANTIATION PHYSICAL: 2 inch videotape

Source: PBCore

INSTANTIATION STANDARD: NTSC

INSTANTIATION LOCATION: Library of Congress INSTANTIATION MEDIA TYPE: Moving Image

Source: PBCore

INSTANTIATION GENERATIONS: Master

Source: PBCore

INSTANTIATION TIME START: 01:00:00 INSTANTIATION DURATION: 00:30:00 INSTANTIATION COLORS: Color

Source: PBCore

INSTANTIATION CHANNEL CONFIGURATION: video, audio, control, and timecode tracks

INSTANTIATION LANGUAGE: eng

INSTANTIATION RIGHTS:

RIGHTS SUMMARY: Copyright unknown; no donor restrictions

PBCore XML

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<pbcoreInstantiationDocument</pre>
xmlns="http://www.pbcore.org/PBCore/PBCoreNamespace.html"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.pbcore.org/PBCore/PBCoreNamespace.html
https://raw.githubusercontent.com/WGBH/PBCore 2.1/master/pbcore-2.1.xsd">
  <instantiationIdentifier source="PBCore</pre>
Handbook">00001</instantiationIdentifier>
  <instantiationDate dateType="created">12-27-1964</instantiationDate>
  <instantiationDimensions unitsOfMeasure="ft">4800</instantiationDimensions>
  <instantiationPhysical source="PBCore">2 inch
videotape</instantiationPhysical>
  <instantiationStandard>NTSC</instantiationStandard>
  <instantiationLocation>Library of Congress</instantiationLocation>
  <instantiationMediaType source="PBCore">Moving
Image</instantiationMediaType>
  <instantiationGenerations source="PBCore">Master</instantiationGenerations>
  <instantiationTimeStart>01:00:00</instantiationTimeStart>
  <instantiationDuration>00:30:00</instantiationDuration>
  <instantiationColors source="PBCore">Color</instantiationColors>
  <instantiationChannelConfiguration>video, audio, control, and timecode
tracks</instantiationChannelConfiguration>
  <instantiationLanguage>eng</instantiationLanguage>
  <instantiationRights>
    <rightsSummary>Copyright unknown; no donor restrictions</rightsSummary>
  </instantiationRights>
</pbcoreInstantiationDocument>
```

Here is an example of a pbcoreInstantiationDocument that describes a digital file with technical metadata automatically generated by a file characterization tool (in this case, MediaInfo).

INSTANTIATION DOCUMENT

INSTANTIATION IDENTIFIER: barcode 152572 clip.mov

Source: File Name

INSTANTIATION DATE: 2018-02-26T19:14:19Z

Date Type: file modification

INSTANTIATION DIGITAL: video/mp4 INSTANTIATION STANDARD: MPEG-4

profile: QuickTime

INSTANTIATION LOCATION:

/Users/rebecca fraimow/Downloads/barcode 152572 clip.mov

INSTANTIATION MEDIA TYPE: Moving Image

INSTANTIATION FILE SIZE: 291475523

Units of Measure: byte

INSTANTIATION DURATION: 00:00:10;00 INSTANTIATION DATA RATE: 23947472

Units of Measure: bit/second

INSTANTIATION TRACKS: 2

INSTANTITAION CHANNEL CONFIGURATION: Track 2: 8 channels (L R C LFE Ls R Rls Rb)

INSTANTIATION ESSENCE TRACK

ESSENCE TRACK TYPE: Video ESSENCE TRACK IDENTIFIER: 1

Source: ID

ESSENCE TRACK IDENTIFIER: 0

Source: StreamKindID (MediaInfo)

ESSENCE TRACK IDENTIFIER: 0

Source: StreamOrder (MediaInfo)

ESSENCE TRACK STANDARD: NTSC

ESSENCE TRACK ENCODING: YUV

Source: codecid

Ref: v210

Annotation: compression mode:Lossless

ESSENCE TRACK DATA RATE: 223724851

Units of Measure: bit/second

ESSENCE TRACK FRAME RATE: 29.970

Annotation: rational frame rate:30000/1001 interlacement:BFF

ESSENCE TRACK BIT DEPTH: 10

ESSENCE TRACK FRAME SIZE: 720x480

ESSENCE TRACK ASPECT RATIO: 1.333

ESSENCE TRACK TIME START: 01:00:01.135

Source: Container

ESSENCE TRACK DURATION: 00:00:10;00

ESSENCE TRACK LANGUAGE: eng

INSTANTIATION ESSENCE TRACK

ESSENCE TRACK TYPE: Audio

ESSENCE TRACK IDENTIFIER: 2

Source: ID

Annotation: default:Yes

ESSENCE TRACK IDENTIFIER: 0

Source: StreamKindID (MediaInfo)

ESSENCE TRACK IDENTIFIER: 1

Source: StreamOrder (MediaInfo)

ESSENCE TRACK ENCODING: PCM

Source: codecid

Ref: in24

Annotation: endianness:Little signedness:Signed

ESSENCE TRACK DATA RATE: 9216000

Units of Measure: bit/second

Annotation: CBR

ESSENCE TRACK SAMPLING RATE: 48000

Units of Measure: Hz

ESSENCE TRACK BIT DEPTH: 24

ESSENCE TRACK TIME START: 01:00:02.135

Source: Container

ESSENCE TRACK DURATION: 00:00:10.010

ESSENCE TRACK LANGUAGE: eng

INSTANTIATION ANNOTATION: 303

Annotation Type: FrameCount

INSTANTIATION ANNOTATION: Lav58.20.100

Annotation Type: Encoded Application

PBCore XML

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- Generated at 2019-10-24T18:15:11Z by MediaInfoLib - v18.12 -->
<pbcoreInstantiationDocument</pre>
xsi:schemaLocation="http://www.pbcore.org/PBCore/PBCoreNamespace.html
https://raw.githubusercontent.com/WGBH/PBCore 2.1/master/pbcore-2.1.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.pbcore.org/PBCore/PBCoreNamespace.html">
    <instantiationIdentifier source="File</pre>
Name">barcode 152572 clip.mov</instantiationIdentifier>
    <instantiationDate dateType="file modification">2018-02-
26T19:14:19Z</instantiationDate>
    <instantiationDigital>video/mp4</instantiationDigital>
    <instantiationStandard profile="QuickTime">MPEG-4</instantiationStandard>
    <instantiationLocation>/Users/rebecca fraimow/Downloads/barcode 152572 cl
ip.mov</instantiationLocation>
    <instantiationMediaType>Moving Image</instantiationMediaType>
    <instantiationFileSize</pre>
unitsOfMeasure="byte">291475523</instantiationFileSize>
    <instantiationDuration>00:00:10;00</instantiationDuration>
    <instantiationDataRate</pre>
unitsOfMeasure="bit/second">232947472</instantiationDataRate>
    <instantiationTracks>2</instantiationTracks>
    <instantiationChannelConfiguration>Track 2: 8 channels (L R C LFE Ls R
Rls Rb), Track 2: 8 channels (L R C LFE Ls R Rls
Rb) </instantiationChannelConfiguration>
     <instantiationEssenceTrack>
         <essenceTrackType>Video</essenceTrackType>
         <essenceTrackIdentifier source="ID">1</essenceTrackIdentifier>
         <essenceTrackIdentifier source="StreamKindID</pre>
(MediaInfo) ">0</essenceTrackIdentifier>
         <essenceTrackIdentifier source="StreamOrder</pre>
(MediaInfo) ">0</essenceTrackIdentifier>
         <essenceTrackStandard>NTSC/essenceTrackStandard>
         <essenceTrackEncoding source="codecid" ref="v210"</pre>
annotation="compression mode:Lossless">YUV</essenceTrackEncoding>
         <essenceTrackDataRate unitsOfMeasure="bit/second"</pre>
annotation="CBR">223724851</essenceTrackDataRate>
         <essenceTrackFrameRate annotation="rational frame rate:30000/1001</pre>
interlacement:BFF">29.970</essenceTrackFrameRate>
         <essenceTrackBitDepth>10</essenceTrackBitDepth>
         <essenceTrackFrameSize>720x486</essenceTrackFrameSize>
         <essenceTrackAspectRatio>1.333
```

```
<essenceTrackTimeStart</pre>
source="Container">01:00:02.135</essenceTrackTimeStart>
         <essenceTrackDuration>00:00:10;00
         <essenceTrackLanguage>eng</essenceTrackLanguage>
    </instantiationEssenceTrack>
    <instantiationEssenceTrack>
         <essenceTrackType>Audio</essenceTrackType>
         <essenceTrackIdentifier source="ID"</pre>
annotation="default:Yes">2</essenceTrackIdentifier>
         <essenceTrackIdentifier source="StreamKindID</pre>
(MediaInfo) ">0</essenceTrackIdentifier>
         <essenceTrackIdentifier source="StreamOrder</pre>
(MediaInfo) ">1</essenceTrackIdentifier>
         <essenceTrackEncoding source="codecid" ref="in24"</pre>
annotation="endianness:Little signedness:Signed">PCM</essenceTrackEncoding>
         <essenceTrackDataRate unitsOfMeasure="bit/second"</pre>
annotation="CBR">9216000</essenceTrackDataRate>
         <essenceTrackSamplingRate</pre>
unitsOfMeasure="Hz">48000</essenceTrackSamplingRate>
         <essenceTrackBitDepth>24</essenceTrackBitDepth>
         <essenceTrackTimeStart</pre>
source="Container">01:00:02.135</essenceTrackTimeStart>
         <essenceTrackDuration>00:00:10.010/essenceTrackDuration>
         <essenceTrackLanguage>eng</essenceTrackLanguage>
    </instantiationEssenceTrack>
    <instantiationAnnotation annotationType="Other Codec List">QuickTime
TC</instantiationAnnotation>
    <instantiationAnnotation</pre>
annotationType="FrameCount">300</instantiationAnnotation>
    <instantiationAnnotation</pre>
annotationType="Encoded Application">Lavf57.72.101</instantiationAnnotation>
</pbcoreInstantiationDocument>
```

In addition to these three main forms of PBCore documents, the structure of PBCore can be extended through the use of the pbcorePart or instantiationPart elements. The element pbcorePart can be used within a pbcoreDescriptionDocument to repeat all asset-level elements for a more detailed description of different parts of the content. This structure is sometimes used when a single asset contains several discrete units of intellectual content — for example, an album that has several songs by different singers, an anthology show that contains several segments, or a compilation that includes multiple programs.

Although an asset may be divided into segments by pbcorePart, the pbcoreDescriptionDocument must still include all required elements (title, identifier with source, and description) for the asset as a whole in order be valid. Each Part must also include these required elements, and all subelements must appear in the same order within a pbcorePart as within a pbcoreDescriptionDocument.

Here is an example of a pbcoreDescriptionDocument that uses pbcorePart to describe the different programs included in a single box set:

DESCRIPTION DOCUMENT

ASSET TYPE: Compilation

Source: PBCore

IDENTIFIER: 978-1-62789-267-4

Source: ISBN IDENTIFIER: 123456

Source: WGBH Barcode

TITLE: Wild West

Title Type: Box Set

DESCRIPTION: They were "heroes" and rebels, but they were all epic personalities who took center stage in the creation of the mythic Wild West. This superb selection of documentaries and authentically reproduced memorabilia combine to present compelling portraits of the icons who risked everything in a dazzling new land of opportunity.

Source: Back of box

GENRE: Documentary

COVERAGE

COVERAGE: American West COVERAGE TYPE: Spatial

COVERAGE

COVERAGE: 19th Century COVERAGE TYPE: Temporal

CREATOR

CREATOR: WGBH

CREATOR ROLE: Producer

CREATOR

CREATOR: Sharon Griberg

CREATOR ROLE: Senior Producer

CREATOR

CREATOR: Mark Samuels

CREATOR ROLE: Executive Producer

Source: PBCore

PUBLISHER

PUBLISHER: PBS Distribution PUBLISHER ROLE: Distributor

Source: PBCore

RIGHTS SUMMARY: AMERICAN EXPERIENCE is produced for PBS by WGBH Boston. Senior Producer: Sharon Griberg. Executive Producer: Mark Samels. Images Courtesy of: Alamy & Getty Images. Additional DVD materials and packaging copyright 2016 PBS Distribution. All rights reserved.

Source: Back of box

INSTANTIATION

INSTANTIATION IDENTIFIER: 123456

Source: WGBH Barcode

INSTANTIATION STANDARD: NTSC INSTANTIATION LOCATION: WGBH

INSTANTIATION MEDIA TYPE: Moving Image

Source: PBCore

INSTANTIATION GENERATIONS: Copy: Access

Source: PBCore

INSTANTIATION DURATION: 6:00:00

INSTANTIATION ALTERNATIVE MODES: English SDH Subtitles

INSTANTIATION ANNOTATION: DVD Box Set

PBCORE PART

ASSET TYPE: Program

Source: PBCore

IDENTIFIER: 123456-1-BK

Source: WGBH TITLE: Billy the Kid SUBJECT: Billy the Kid

DESCRIPTION: On April 28, 1881, just days from being hanged for murder, 21-year-old Henry McCarty, alias Billy the Kid, outfoxed his jailors and electrified the nation with the last in a long line of daring escapes. Just a few weeks later, he was finally gunned down by an ambitious sheriff, and the felling of one of the most notorious criminals of the age made headlines across the country.

Source: American Experience website

CREATOR

CREATOR: John Maggio CREATOR ROLE: Producer

CREATOR

CREATOR: Michael Murphy CREATOR ROLE: Narrator

PBCORE PART

ASSET TYPE: Program

Source: PBCore

IDENTIFIER: 123456-1-JJ

Source: WGBH

TITLE: Jesse James

SUBJECT: Jesse James

DESCRIPTION: The legend of Jesse James is one of America's most familiar myths – and one of its most wrong-headed. James, so the legend goes, was a Western outlaw, but in reality, he never went west. He has been called American's own Robin Hood, yet he robbed both rich and poor, and was never seen to share his ill-gotten gains. He was known as a gunfighter – but his victims were almost always unarmed. Less heroic than brutal, James was a member of a vicious band of Missouri guerrillas during the Civil War, and sought vengeance for the Confederate defeat afterwards. In a life steeped in prolific violence and bloodshed, he met what was perhaps the most fitting end.

Source: American Experience website

CREATOR

CREATOR: Mark Zwonitzer CREATOR ROLE: Producer

CREATOR

CREATOR: Michael Murphy CREATOR ROLE: Narrator

PBCORE PART

ASSET TYPE: Program

Source: PBCore IDENTIFIER: 123456-1-BC

Source: WGBH

TITLE: Butch Cassidy and the Sundance Kid

SUBJECT: Butch Cassidy SUBJECT: The Sundance Kid

DESCRIPTION: In an era in which cold-blooded killers such as Jesse James and the Younger Brothers terrorized the American West, Butch Cassidy, the Sundance Kid and their Wild Bunch gang took a smart and methodical approach to bank and train robbery. In the 1890s, their thrilling exploits – robbing banks and trains and then seemingly vanishing into thin air – became front-page news and the basis of rumor and myth, captivating Americans from coast to coast.

Source: American Experience website

CREATOR

CREATOR: John Maggio CREATOR ROLE: Producer

CREATOR

CREATOR: Michael Murphy CREATOR ROLE: Narrator

PBCore XML

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<pbcoreDescriptionDocument</pre>
xmlns="http://www.pbcore.org/PBCore/PBCoreNamespace.html"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.pbcore.org/PBCore/PBCoreNamespace.html
https://raw.githubusercontent.com/WGBH/PBCore 2.1/master/pbcore-2.1.xsd">
  <pbcoreAssetType source="PBCore">Compilation</pbcoreAssetType>
  <pbcoreIdentifier source="ISBN">978-1-62789-267-4</pbcoreIdentifier>
  <pbcoreIdentifier source="Barcode">123456</pbcoreIdentifier>
  <pbcoreTitle titleType="Box Set">Wild West</pbcoreTitle>
  <pbcoreDescription descriptionType="Item" source="Back of box">They were
"heroes" and rebels, but they were all epic personalities who took center
stage in the creation of the mythic Wild West. This superb selection of
documentaries and authentically reproduced memorabilia combine to present
compelling portraits of the icons who risked everything in a dazzling new
land of opportunity. </pbcoreDescription>
  <pbcoreGenre>Documentary</pbcoreGenre>
  <pbcoreCoverage>
    <coverage>American West</coverage>
    <coverageType>Spatial</coverageType>
  </pbcoreCoverage>
  <pbcoreCoverage>
    <coverage>19th Century</coverage>
    <coverageType>Temporal</coverageType>
  </pbcoreCoverage>
```

```
<pbcoreCreator>
    <creator>WGBH</creator>
    <creatorRole>Producer</creatorRole>
  </pbcoreCreator>
  <pbcoreCreator>
    <creator>Sharon Grimberg</creator>
    <creatorRole>Producer</creatorRole>
  </pbcoreCreator>
  <pbcoreCreator>
    <creator>Mark Samels
    <creatorRole source="PBCore">Executive Producer</creatorRole>
  </pbcoreCreator>
  <pbcorePublisher>
    <publisher>PBS Distribution/publisher>
    <publisherRole source="PBCore">Distributor</publisherRole>
  </pbcorePublisher>
  <pbcoreRightsSummary>
    <rightsSummary source="Back of box"> AMERICAN EXPERIENCE is produced for
PBS by WGBH Boston. Senior Producer: Sharon Griberg. Executive Producer: Mark
Samels. Images Courtesy of: Alamy & amp; Getty Images. Additional DVD
materials and packaging copyright 2016 PBS Distribution. All rights
reserved.</rightsSummary>
  </pbcoreRightsSummary>
  <pbcoreInstantiation>
    <instantiationIdentifier source="WGBH</pre>
Barcode">123456</instantiationIdentifier>
    <instantiationStandard>NTSC</instantiationStandard>
    <instantiationLocation>WGBH</instantiationLocation>
    <instantiationMediaType source="PBCore">Moving
Image</instantiationMediaType>
    <instantiationGenerations source="PBCore">Copy:
Access</instantiationGenerations>
    <instantiationDuration>6:00:00</instantiationDuration>
    <instantiationLanguage>eng</instantiationLanguage>
    <instantiationAlternativeModes>English SDH
Subtitles</instantiationAlternativeModes>
    <instantiationAnnotation>DVD Box Set</instantiationAnnotation>
  </pbcoreInstantiation>
  <pbcoreAnnotation>Includes a memorabilia collection of replica documents
sourced from national and state collections, including the Library of
Congress. </pbcoreAnnotation>
  <pbcorePart>
    <pbcoreAssetType source="PBCore">Program</pbcoreAssetType>
    <pbcoreIdentifier source="WGBH">123456-1-BK</pbcoreIdentifier>
    <pbcoreTitle>Billy the Kid</pbcoreTitle>
    <pbcoreSubject >Billy the Kid</pbcoreSubject>
    <pbcoreDescription source="American Experience website">On April 28,
1881, just days from being hanged for murder, 21-year-old Henry McCarty,
alias Billy the Kid, outfoxed his jailors and electrified the nation with the
last in a long line of daring escapes. Just a few weeks later, he was finally
gunned down by an ambitious sheriff, and the felling of one of the most
notorious criminals of the age made headlines across the
country.</pbcoreDescription>
    <pbcoreCreator>
       <creator>John Maggio</creator>
       <creatorRole>Producer</creatorRole>
    </pbcoreCreator>
```

```
<pbcoreCreator>
       <creator>Michael Murphy</creator>
       <creatorRole>Narrator</creatorRole>
    </pbcoreCreator>
  </pbcorePart>
  <pbcorePart>
    <pbcoreAssetType source="PBCore">Program</pbcoreAssetType>
    <pbcoreIdentifier source="WGBH">123456-1-JJ</pbcoreIdentifier>
    <pbcoreTitle>Jesse James</pbcoreTitle>
    <pbcoreSubject>Jesse James</pbcoreSubject>
    <pbcoreDescription source="American Experience website">The legend of
Jesse James is one of America's most familiar myths - and one of its most
wrong-headed. James, so the legend goes, was a Western outlaw, but in
reality, he never went west. He has been called American's own Robin Hood,
yet he robbed both rich and poor, and was never seen to share his ill-gotten
gains. He was known as a gunfighter - but his victims were almost always
unarmed. Less heroic than brutal, James was a member of a vicious band of
Missouri guerrillas during the Civil War, and sought vengeance for the
Confederate defeat afterwards. In a life steeped in prolific violence and
bloodshed, he met what was perhaps the most fitting end.</pbcoreDescription>
    <pbcoreCreator>
       <creator>Mark Zwonitzer</creator>
       <creatorRole>Producer</creatorRole>
    </pbcoreCreator>
    <pbcoreCreator>
       <creator>Michael Murphy</creator>
       <creatorRole>Narrator</creatorRole>
    </pbcoreCreator>
  </pbcorePart>
  <pbcorePart>
    <pbcoreAssetType source="PBCore">Program</pbcoreAssetType>
    <pbcoreIdentifier source="WGBH">123456-1-BC</pbcoreIdentifier>
    <pbcoreTitle>Butch Cassidy and the Sundance Kid</pbcoreTitle>
    <pbcoreSubject>Butch Cassidy</pbcoreSubject>
    <pbcoreSubject>The Sundance Kid</pbcoreSubject>
    <pbcoreDescription source="American Experience website">In an era in
which cold-blooded killers such as Jesse James and the Younger Brothers
terrorized the American West, Butch Cassidy, the Sundance Kid and their Wild
Bunch gang took a smart and methodical approach to bank and train robbery. In
the 1890s, their thrilling exploits - robbing banks and trains and then
seemingly vanishing into thin air - became front-page news and the basis of
rumor and myth, captivating Americans from coast to
coast.</pbcoreDescription>
    <pbcoreCreator>
       <creator>John Maggio</creator>
       <creatorRole>Producer</creatorRole>
    </pbcoreCreator>
    <pbcoreCreator>
       <creator>Michael Murphy</creator>
       <creatorRole>Narrator
    </pbcoreCreator>
  </pbcorePart>
</pbcoreDescriptionDocument>
```

The element instantiationPart functions in a similar way to pbcorePart, but works to subdivide instantiationDocuments and instantiations within pbcoreDescriptionDocuments. This structure

can be used for multi-part instantiations in which two or more discrete items may need to be described with individual technical metadata, such as a film that stretches over multiple reels, a CD set that contains several individual discs, or two video files that combine to form a multi-channel installation.

As with pbcorePart, the record must still include required subelements (identifier with source and location) for the instantiation as a whole in order be valid. Each instantiationPart must also include these required elements, and all sub-elements must appear in the same order within an instantiationPart as within an instantiation.

Here is an example of a pbcoreDescriptionDocument that uses instantiationPart to describe different DVDs within a single box set.

DESCRIPTION DOCUMENT

ASSET TYPE: Compilation

Source: PBCore

IDENTIFIER: 978-1-62789-267-4

Source: ISBN IDENTIFIER: 123456

Source: WGBH Barcode

TITLE: Wild West

Title Type: Box Set

DESCRIPTION: They were "heroes" and rebels, but they were all epic personalities who took center stage in the creation of the mythic Wild West. This superb selection of documentaries and authentically reproduced memorabilia combine to present compelling portraits of the icons who risked everything in a dazzling new land of opportunity.

Source: Back of box

GENRE: Documentary

COVERAGE

COVERAGE: American West COVERAGE TYPE: Spatial

COVERAGE

COVERAGE: 19th Century COVERAGE TYPE: Temporal

CREATOR

CREATOR: WGBH

CREATOR ROLE: Producer

CREATOR

CREATOR: Sharon Grimberg
CREATOR ROLE: Senior Producer

CREATOR

CREATOR: Mark Samuels

CREATOR ROLE: Executive Producer

Source: PBCore

PUBLISHER

PUBLISHER: PBS Distribution PUBLISHER ROLE: Distributor

Source: PBCore

RIGHTS SUMMARY: AMERICAN EXPERIENCE is produced for PBS by WGBH Boston. Senior Producer: Sharon Grimberg. Executive Producer: Mark Samels. Images Courtesy of: Alamy & Getty Images. Additional DVD materials and packaging copyright 2016 PBS Distribution. All rights reserved.

Source: Back of box

INSTANTIATION

INSTANTIATION IDENTIFIER: 123456

Source: WGBH Barcode

INSTANTIATION STANDARD: NTSC INSTANTIATION LOCATION: WGBH

INSTANTIATION MEDIA TYPE: Moving Image

Source: PBCore

INSTANTIATION GENERATIONS: Copy: Access

Source: PBCore

INSTANTIATION DURATION: 6:00:00

INSTANTIATION ALTERNATIVE MODES: English SDH Subtitles

INSTANTIATION ANNOTATION: DVD Box Set

INSTANTIATION PART

IDENTIFIER: 123456-1

Source: WGBH Barcode

LOCATION: WGBH INSTANTIATION PART

IDENTIFIER: 123456-2

Source: WGBH Barcode

LOCATION: WGBH

ANNOTATION: Includes a memorabilia collection of replica documents sourced from national and state collections, including the Library of Congress.

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<pbcoreDescriptionDocument</pre>
xmlns="http://www.pbcore.org/PBCore/PBCoreNamespace.html"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.pbcore.org/PBCore/PBCoreNamespace.html
https://raw.githubusercontent.com/WGBH/PBCore 2.1/master/pbcore-2.1.xsd">
  <pbcoreAssetType source="PBCore">Compilation</pbcoreAssetType>
  <pbcoreIdentifier source="ISBN">978-1-62789-267-4</pbcoreIdentifier>
  <pbcoreIdentifier source="Barcode">123456</pbcoreIdentifier>
  <pbcoreTitle titleType="Box Set">Wild West</pbcoreTitle>
  <pbcoreDescription descriptionType="Item" source="Back of box">They were
"heroes" and rebels, but they were all epic personalities who took center
stage in the creation of the mythic Wild West. This superb selection of
documentaries and authentically reproduced memorabilia combine to present
compelling portraits of the icons who risked everything in a dazzling new
land of opportunity. </pbcoreDescription>
  <pbcoreCreator>
    <creator>WGBH</creator>
    <creatorRole>Producer</creatorRole>
```

```
</pbcoreCreator>
  <pbcoreCreator>
    <creator>Sharon Grimberg</creator>
    <creatorRole>Producer</creatorRole>
  </pbcoreCreator>
  <pbcoreCreator>
    <creator>Mark Samels
    <creatorRole source="PBCore">Executive Producer</creatorRole>
  </pbcoreCreator>
  <pbcorePublisher>
    <publisher>PBS Distribution/publisher>
    <publisherRole source="PBCore">Distributor</publisherRole>
  </pbcorePublisher>
  <pbcoreRightsSummary>
    <rightsSummary source="Back of box">AMERICAN EXPERIENCE is produced for
PBS by WGBH Boston. Senior Producer: Sharon Grimberg. Executive Producer:
Mark Samels. Images Courtesy of: Alamy & amp; Getty Images. Additional DVD
materials and packaging copyright 2016 PBS Distribution. All rights
reserved.</rightsSummary>
  </pbcoreRightsSummary>
  <pbcoreInstantiation>
    <instantiationIdentifier source="WGBH</pre>
Barcode">123456</instantiationIdentifier>
    <instantiationStandard>NTSC</instantiationStandard>
    <instantiationLocation>WGBH</instantiationLocation>
    <instantiationMediaType source="PBCore">Moving
Image</instantiationMediaType>
    <instantiationGenerations source="PBCore">Copy:
Access</instantiationGenerations>
    <instantiationDuration>6:00:00</instantiationDuration>
    <instantiationLanguage>eng</instantiationLanguage>
    <instantiationAlternativeModes>English SDH
Subtitles</instantiationAlternativeModes>
    <instantiationAnnotation>DVD Box Set</instantiationAnnotation>
    <instantiationPart>
      <instantiationIdentifier source="WGBH Barcode">123456-
1</instantiationIdentifier>
      <instantiationPhysical source="PBCore">DVD</instantiationPhysical>
      <instantiationLocation>WGBH</instantiationLocation>
    </instantiationPart>
    <instantiationPart>
      <instantiationIdentifier source="WGBH Barcode">123456-
2</instantiationIdentifier>
      <instantiationPhysical source="PBCore">DVD</instantiationPhysical>
      <instantiationLocation>WGBH</instantiationLocation>
    </instantiationPart>
  </pbcoreInstantiation>
  <pbcoreAnnotation>Includes a memorabilia collection of replica documents
sourced from national and state collections, including the Library of
Congress. </pbcoreAnnotation>
```

As should by now be apparent, there is a lot of flexibility and variety in the structure of PBCore documents. Each institution or application using PBCore should consider implementing internal standards for the description of complex assets that suit their individual needs.